according to Regulation (EC) No 1907/2006

### **COPPER SEAL**

Revision date: 05.09.2018 Material Number: AN 5000 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Copper Seal

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives, sealants

#### Uses advised against

Any non-intended use.

## 1.3. Details of the supplier of the safety data sheet

Company name:

Street:

Höhenweg 9

Place:

D-53937 Schleiden

Telephone:

+49 (0) 2445 852432

Internet: www.zyrobond.com

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH rel.: +49(0)251/394868-69

Chemieberatung GmbH Tel.: +49(0)251/394868-69
Raesfeldstr. 22 www.tge-consult.de

Telefax: +49 (0) 2445 852433

D-48149 Münster

1.4. Emergency telephone

<u>number:</u>

Poison Information Center (GGIZ Erfurt): +49-361-730730

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

Polyglycol dimethacrylate

cumene hydroperoxide, alpha, alpha-dimethylbenzyl hydroperoxide

2'-Phenylacetohydrazide

Signal word: Warning

**Pictograms:** 



### **Hazard statements**

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

according to Regulation (EC) No 1907/2006

	COPPER SEAL	
Revision date: 05.09.2018	Material Number: AN 5000	Page 2 of 12

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with official regulations.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regula	ation (EC) No. 1272/2008 [CLP]				
25852-47-5	Polyglycol dimethacrylate			85 - < 90 %		
	Skin Sens. 1, Aquatic Chronic 3;	H317 H412				
3290-92-4	Trimethylolpropane trimethacrylat	е		5 - < 10 %		
	221-950-4					
	Skin Irrit. 2, Eye Irrit. 2; H315 H319					
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide					
	201-254-7	617-002-00-8				
	Org. Perox. E, Acute Tox. 3, Acut H242 H331 H312 H302 H373 ** H		2, Skin Corr. 1B, Aquatic Chronic 2;			
114-83-0	2'-Phenylacetohydrazide					
	204-055-3					
	Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H301 H315 H319 H317 H335					

Full text of H and EUH statements: see section 16.

## **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

according to Regulation (EC) No 1907/2006

### **COPPER SEAL**

Revision date: 05.09.2018 Material Number: AN 5000 Page 3 of 12

## After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx).

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

### 6.2. Environmental precautions

Discharge into the environment must be avoided.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No 1907/2006

### **COPPER SEAL**

Revision date: 05.09.2018 Material Number: AN 5000 Page 4 of 12

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

#### 7.3. Specific end use(s)

See section 1.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls







## Appropriate engineering controls

Provide adequate ventilation.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

## Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

#### Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

according to Regulation (EC) No 1907/2006

### COPPER SEAL

Revision date: 05.09.2018 Material Number: AN 5000 Page 5 of 12

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -exceeding exposure limit values
- -insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### **Environmental exposure controls**

No special precautionary measures are necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour:

Odour: characteristic

Test method

not determined

pH-Value:

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined Sublimation point: not determined Softening point: not determined Pour point: not determined not determined Flash point: Sustaining combustion: Not sustaining combustion

**Explosive properties** 

none

Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: not determined

**Auto-ignition temperature** 

not determined Decomposition temperature: not determined

**Oxidizing properties** 

none

Vapour pressure: not determined Density: not determined not determined Water solubility:

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined

according to Regulation (EC) No 1907/2006

COPPER SEAL			
Revision date: 05.09.2018	Material Number: AN 5000	Page 6 of 12	
Flow time:	not determined		
Vapour density:	not determined		
Evaporation rate:	not determined		
Solvent separation test:	not determined		
Solvent content:	not determined		
9.2. Other information			
Solid content:	not determined		

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No information available.

## 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

## 10.5. Incompatible materials

Materials to avoid: Strong acid. Oxidizing agents, strong. Alkalis (alkalis), concentrated.

## 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx).

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Toxicocinetics, metabolism and distribution

No data available.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

#### **COPPER SEAL**

Revision date: 05.09.2018 Material Number: AN 5000 Page 7 of 12

CAS No	AS No Chemical name						
	Exposure route	Dose		Species	Source	Method	
3290-92-4	Trimethylolpropane trim	ethacrylate					
	oral	LD50 mg/kg	>2000	Rat	ECHA Dossier		
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier		
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide						
	oral	LD50	382 mg/kg	Rat	IUCLID		
	dermal	LD50 mg/kg	(500)	Rat	RTECS		
	inhalation (4 h) vapour	LC50	(200) mg/l	Mouse.	IUCLID		
	inhalation aerosol	ATE	0,5 mg/l				
114-83-0	2'-Phenylacetohydrazide						
	oral	LD50	270 mg/kg	Mouse.	RTECS		

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Polyglycol dimethacrylate; 2'-Phenylacetohydrazide)

Respiratory or skin sensitisation:

People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Trimethylolpropane trimethacrylate:

In-vitro mutagenicity:

OECD Guideline 471 (Bacterial Reverse Mutation Assay) = negative. Literature information: ECHA Dossier

OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) = negative. Literature information: ECHA Dossier

OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) = positive (with metabolic activation). = negative (without metabolic activation). Literature information: ECHA Dossier

In-vivo mutagenicity:

OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo) = negative.

Literature information: ECHA Dossier

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) = negative. Literature information: ECHA Dossier

Reproductive toxicity: (45d, Rat.) NOAEL = >900 mg/kg(bw)/day; Literature information: ECHA Dossier

cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide:

In-vitro mutagenicity:OECD Guideline 471 (Bacterial Reverse Mutation Assay) = positive. Literature information:

ECHA Dossier

No experimental indications of mutagenicity in-vivo exist. Literature information: ECHA Dossier

## STOT-single exposure

May cause respiratory irritation. (cumene hydroperoxide, alpha, alpha-dimethylbenzyl hydroperoxide)

## STOT-repeated exposure

according to Regulation (EC) No 1907/2006

#### **COPPER SEAL**

Revision date: 05.09.2018 Material Number: AN 5000 Page 8 of 12

Based on available data, the classification criteria are not met.

Trimethylolpropane trimethacrylate:

Chronic oral toxicity (45d, Rat.) NOAEL = >900 mg/kg(bw)/day; Literature information: ECHA Dossier

cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide:

Subchronic inhalative toxicity (Rat.) NOAEC = 31 mg/m3; Literature information: ECHA Dossier

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No information available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
3290-92-4	Trimethylolpropane trimethacrylate						
	Acute fish toxicity	LC50	2,0 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	3,88	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50	9,22 mg/l	48 h	Daphnia magna	ECHA Dossier	
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute algae toxicity	ErC50	3,1 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	18,84	48 h	Daphnia magna	ECHA Dossier	

## 12.2. Persistence and degradability

The product has not been tested.

1116	noudel has not been tested.			
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
3290-92-4	Trimethylolpropane trimethacrylate			
	OECD Guideline 301 B	53%	28	ECHA Dossier
	Product is not easily biodegradable.			
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroper	oxide		
	OECD 301B / ISO 9439 / EWG 92/69 Anhang V, C.4-C	3%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
3290-92-4	Trimethylolpropane trimethacrylate	3,53
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide	2,16

## 12.4. Mobility in soil

No data available.

according to Regulation (EC) No 1907/2006

### COPPER SEAL

Revision date: 05.09.2018 Material Number: AN 5000 Page 9 of 12

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

#### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and

sealants containing organic solvents or other hazardous substances; hazardous waste

## Waste disposal number of used product

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

## Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances;

hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

## Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

#### Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

**COPPER SEAL** 

Revision date: 05.09.2018 Material Number: AN 5000 Page 10 of 12

14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Refer to section 6-8

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): <2 % (20 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work

protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

#### **SECTION 16: Other information**

#### Changes

Rev. 1,00, 23.10.2014, Initial release

Rev. 2,00; 05.09.2018; Changes in chapter: 1-16

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service
DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

according to Regulation (EC) No 1907/2006

### **COPPER SEAL**

Revision date: 05.09.2018 Material Number: AN 5000 Page 11 of 12

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3: H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H242	Heating may cause a fire.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

according to Regulation (EC) No 1907/2006

## **COPPER SEAL**

Revision date: 05.09.2018 Material Number: AN 5000 Page 12 of 12

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)