

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

GASKETING COMPOUNDS AN 3510, 3515, 3518, 3573, 3574

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Adhesives, sealants

##### Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Nohtec GmbH		
Street:	Höhenweg 9		
Place:	D-53937 Schleiden		
Telephone:	+49 (0) 2445 852432	Telefax:	+49 (0) 2445 852433
Internet:	www.zyrobond.com		

#### 1.4. Emergency telephone number:

Poison Information Center (GGIZ Erfurt): +49-361-730730

#### Further Information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315  
Eye Dam. 1; H318  
Skin Sens. 1; H317  
STOT SE 3; H335  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

Polyglycol dimethacrylate  
acrylic acid; prop-2-enoic acid  
2'-Phenylacetohydrazide

Signal word: Danger

##### Pictograms:



##### Hazard statements

Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause respiratory irritation.  
Harmful to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 2 of 13

### Precautionary statements

If medical advice is needed, have product container or label at hand.  
 Keep out of reach of children.  
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing.  
 Immediately call a POISON CENTER/doctor.  
 Dispose of contents/container to local/regional/national/international regulations.

### 2.3. Other hazards

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
 This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
25852-47-5	Polyglycol dimethacrylate			30 - < 35 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Chronic 3; H315 H319 H317 H335 H412			
79-10-7	acrylic acid; prop-2-enoic acid			3 - < 5 %
	201-177-9	607-061-00-8		
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H226 H332 H312 H302 H314 H318 H335 H400 H411			
114-83-0	2'-Phenylacetohydrazide			0.5 - < 1 %
	204-055-3			
	Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H301 H315 H319 H317 H335			
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide			0.5 - < 1 %
	201-254-7	617-002-00-8		
	Org. Perox. E, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H242 H331 H312 H302 H314 H373 H411			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
79-10-7	201-177-9	acrylic acid; prop-2-enoic acid	3 - < 5 %
		inhalation: LC50 = > 5,1 mg/l (vapours); inhalation: LC50 = 1,5 mg/l (dusts or mists); dermal: LD50 = 1100 mg/kg; oral: LD50 = 500 mg/kg STOT SE 3; H335: >= 1 - 100	
114-83-0	204-055-3	2'-Phenylacetohydrazide	0.5 - < 1 %
		oral: LD50 = 270 mg/kg	
80-15-9	201-254-7	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide	0.5 - < 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 382 mg/kg Skin Corr. 1B; H314: >= 10 - 100 Skin Irrit. 2; H315: >= 3 - < 10 Eye Dam. 1; H318: >= 3 - < 10 Eye Irrit. 2; H319: >= 1 - < 3 STOT SE 3; H335: >= 1 - 100	

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 3 of 13

### Further Information

Product does not contain listed SVHC substances > 0.1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Safe handling: see section 7

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 4 of 13

### 6.2. Environmental precautions

Discharge into the environment must be avoided.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work.

#### Further information on handling

General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

### 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
79-10-7	Acrylic acid	10	29		TWA (8 h)	
		20	59		STEL (1 min)	

#### DNEL/DMEL values

CAS No	Substance
--------	-----------

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 5 of 13

DNEL type	Exposure route	Effect	Value
79-10-7	acrylic acid; prop-2-enoic acid		
Worker DNEL, acute	inhalation	local	30 mg/m <sup>3</sup>
Worker DNEL, acute	dermal	local	1 mg/cm <sup>2</sup>
Worker DNEL, long-term	inhalation	local	30 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	3,6 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	local	3,6 mg/m <sup>3</sup>
Consumer DNEL, acute	dermal	local	1 mg/cm <sup>2</sup>

### PNEC values

CAS No	Substance	Value
79-10-7	acrylic acid; prop-2-enoic acid	
Environmental compartment		Value
Freshwater		0,003 mg/l
Freshwater (intermittent releases)		0,001 mg/l
Marine water		0 mg/l
Freshwater sediment		0,024 mg/kg
Marine sediment		0,002 mg/kg
Secondary poisoning		30 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,9 mg/l
Soil		1 mg/kg

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). EN 166

##### Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 6 of 13

mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Suitable protective clothing: Lab apron.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- Exceeding exposure limit values
- Insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

### Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	not determined	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		not determined
Dissolution rate:		not relevant
Partition coefficient n-octanol/water:		SECTION 12: Ecological information
Dispersion stability:		not relevant
Vapour pressure:		not determined
Density:		not determined
Bulk density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not relevant

### 9.2. Other information

#### Information with regard to physical hazard classes

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**GASKETING COMPOUNDS**

Revision date: 07.08.2023

Product code: See Product identifier

Page 7 of 13

Explosive properties

non

Sustaining combustion:

Not sustaining combustion

Self-ignition temperature

Solid:

not relevant

Gas:

not relevant

Oxidizing properties

non

**Other safety characteristics**

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not determined

Softening point:

not determined

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

**Further Information**

No information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Hazardous polymerisation: Protect against direct sunlight. Can polymerise exothermically if heated, exposed to air, sunlight or by addition of free radical initiators.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Refer to chapter 10.5.

**10.4. Conditions to avoid**

Protect against: UV-radiation/sunlight. heat.

**10.5. Incompatible materials**

Materials to avoid: Strong acid. Oxidizing agents, strong. Alkalis (alkalis), concentrated.

**10.6. Hazardous decomposition products**

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No data available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) 12736 mg/kg; ATE (dermal) 36667 mg/kg; ATE (inhalation vapour) 227,6 mg/l; ATE (inhalation dust/mist) 33,33 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 8 of 13

79-10-7	acrylic acid; prop-2-enoic acid					
	oral	LD50	500 mg/kg	Rat (146 - 2700 mg/kg)	ECHA Dossier	WoE/ATE
	dermal	LD50 mg/kg	1100	Rabbit (640 - >2000 mg/kg)	ECHA Dossier	ATE
	inhalation (4 h) vapour	LC50	> 5,1 mg/l	Rat	ECHA Dossier	OECD Guideline 403
	inhalation (4 h) dust/mist	LC50	1,5 mg/l			ATE
114-83-0	2'-Phenylacetohydrazide					
	oral	LD50	270 mg/kg	Mouse.	RTECS	
80-15-9	cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide					
	oral	LD50	382 mg/kg	Rat	MSDS extern.	
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			

### Irritation and corrosivity

Causes skin irritation.  
Causes serious eye damage.

### Sensitising effects

May cause an allergic skin reaction. (Polyglycol dimethacrylate; 2'-Phenylacetohydrazide)  
Respiratory or skin sensitisation:  
People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.  
acrylic acid; prop-2-enoic acid:  
In-vitro mutagenicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) = negative. Literature information: ECHA Dossier  
In-vivo mutagenicity: No experimental indications of mutagenicity in-vivo exist. Literature information: ECHA Dossier  
Carcinogenicity: (Mouse.) NOAEL = >10 mg/kg(bw)/day; Literature information: ECHA Dossier  
Developmental toxicity/teratogenicity (Rat) NOAEC = 0,075 mg/l; Literature information: ECHA Dossier

alpha,alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide:  
In-vitro mutagenicity: OECD Guideline 471 (Bacterial Reverse Mutation Assay) = positive. Literature information: ECHA Dossier  
No experimental indications of mutagenicity in-vivo exist. Literature information: ECHA Dossier

### STOT-single exposure

May cause respiratory irritation. (Polyglycol dimethacrylate; acrylic acid; prop-2-enoic acid)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.  
acrylic acid; prop-2-enoic acid:  
Subchronic oral toxicity (90d, Rat) NOAEL = 40 mg/kg; Literature information: ECHA Dossier  
Subchronic inhalative toxicity (90d, Rat) LOAEC = 0,015 mg/l; Literature information: ECHA Dossier

alpha,alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide:



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 9 of 13

Subchronic inhalative toxicity (Rat.) NOAEC = 31 mg/m<sup>3</sup>; Literature information: ECHA Dossier

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No information available.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
79-10-7	acrylic acid; prop-2-enoic acid					
	Acute fish toxicity	LC50 27 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	EPA OTS 797.1400
	Acute algae toxicity	ErC50 0,13 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	EU Method C.3
	Acute crustacea toxicity	EC50 95 mg/l	48 h	Daphnia magna	ECHA Dossier	EPA OTS 797.1300
	Crustacea toxicity	NOEC 19 mg/l	21 d	Daphnia magna	ECHA Dossier	EPA OTS 797.1330

### 12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
79-10-7	acrylic acid; prop-2-enoic acid			
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	68%	28	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)			

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
79-10-7	acrylic acid; prop-2-enoic acid	0,46

#### BCF

CAS No	Chemical name	BCF	Species	Source
79-10-7	acrylic acid; prop-2-enoic acid	3,162		calculated

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 10 of 13

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.7. Other adverse effects

No data available.

### **Further information**

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

#### **List of Wastes Code - residues/unused products**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### **List of Wastes Code - used product**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### **List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### **Land transport (ADR/RID)**

#### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### **Inland waterways transport (ADN)**

#### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### **Marine transport (IMDG)**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 11 of 13

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

refer to chapter 6 - 8

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

2010/75/EU (VOC): not determined

2004/42/EC (VOC): not determined

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

## SECTION 16: Other information

### Changes

Rev. 1,0; Initial release: 07.08.2023

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

AGW: Arbeitsplatzgrenzwert

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**GASKETING COMPOUNDS**

Revision date: 07.08.2023

Product code: See Product identifier

Page 12 of 13

EINECS: European INventory of Existing Commercial chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 ECHA: European Chemicals Agency  
 EWC: European Waste Catalogue  
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organization  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
 h: hour  
 LOAEL: Lowest observed adverse effect level  
 LOAEC: Lowest observed adverse effect concentration  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 NOAEL: No observed adverse effect level  
 NOAEC: No observed adverse effect concentration  
 NLP: No-Longer Polymers  
 N/A: not applicable  
 OECD: Organisation for Economic Co-operation and Development  
 PNEC: predicted no effect concentration  
 PBT: Persistent bioaccumulative toxic  
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail  
 REACH: Registration, Evaluation, Authorisation of Chemicals  
 SVHC: substance of very high concern  
 TRGS: Technische Regeln für Gefahrstoffe  
 UN: United Nations  
 VOC: Volatile Organic Compounds  
 WGK: Water Hazard Class (Germany)

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

Flammable liquid and vapour.  
 Heating may cause a fire.  
 Toxic if swallowed.  
 Harmful if swallowed.  
 Harmful in contact with skin.  
 Causes severe skin burns and eye damage.  
 Causes skin irritation.  
 May cause an allergic skin reaction.  
 Causes serious eye damage.  
 Causes serious eye irritation.  
 Toxic if inhaled.  
 Harmful if inhaled.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### GASKETING COMPOUNDS

Revision date: 07.08.2023

Product code: See Product identifier

Page 13 of 13

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*