

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RBX TAPE / RTX TAPE

Revision date: 02.08.2023

Product code: 28 ....

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

RBX TAPE / RTX TAPE

##### Further trade names

RBX Tape (Reparaturbandage) Alubeutel Rolle zu 50mm/1,8m

RTX Tape (Reparaturbandage) Alubeutel Rolle zu 25mm/1.3m, 50mm/1,3m

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Adhesives, sealants

##### Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Nohtec GmbH

Street: Höhenweg 9

Place: D-53937 Schleiden

Telephone: +49 (0) 2445 852432

Telefax: +49 (0) 2445 852433

Internet: www.zyrobond.com

#### 1.4. Emergency telephone

Poison Information Center (GGIZ Erfurt): +49-361-730730

##### number:

#### Further Information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Resp. Sens. 1; H334

Skin Sens. 1; H317

Carc. 2; H351

STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate

Signal word: Danger

Pictograms:



##### Hazard statements

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RBX TAPE / RTX TAPE

Revision date: 02.08.2023

Product code: 28 ....

Page 2 of 13

H335 May cause respiratory irritation.  
H351 Suspected of causing cancer.

### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P284 Wear respiratory protection.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
P501 Dispose of contents/container to local/regional/national/international regulations.

### Special labelling of certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

### 2.3. Other hazards

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
25686-28-6	4,4'-Methylenediphenyl diisocyanate, oligomers	65 - < 70 %
	500-040-3	
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
25686-28-6	500-040-3	4,4'-Methylenediphenyl diisocyanate, oligomers	65 - < 70 %
		inhalation: LC50 = (5,64) mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = > 5000 mg/kg	

#### Further Information

Product does not contain listed SVHC substances > 0.1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RBX TAPE / RTX TAPE

Revision date: 02.08.2023

Product code: 28 ....

Page 3 of 13

### After contact with eyes

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Gas/vapours, toxic.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Safe handling: see section 7

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

### 6.2. Environmental precautions

Discharge into the environment must be avoided.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RBX TAPE / RTX TAPE**

Revision date: 02.08.2023

Product code: 28 ....

Page 4 of 13

**Advice on safe handling**

Wear suitable protective clothing. See section 8.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work.

**Further information on handling**

General protection and hygiene measures: See section 8.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

**Hints on joint storage**

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

**Further information on storage conditions**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

**7.3. Specific end use(s)**

See section 1.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses; chemical goggles (if splashing is possible). EN 166

**Hand protection**

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RBX TAPE / RTX TAPE**

Revision date: 02.08.2023

Product code: 28 ....

Page 5 of 13

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

**Skin protection**

Suitable protective clothing: Lab apron.

**Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Generation/formation of dust

Suitable respiratory protective equipment: gas filtering equipment (EN 141). type: A1

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

**Environmental exposure controls**

Do not allow uncontrolled discharge of product into the environment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid on carrier material
Colour:	not determined
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 200 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not determined
Solubility in other solvents not determined	
Dissolution rate:	not relevant
Partition coefficient n-octanol/water:	SECTION 12: Ecological information
Dispersion stability:	not relevant
Vapour pressure:	not determined
Density (at 25 °C):	1,12 g/cm <sup>3</sup>
Bulk density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant

**9.2. Other information****Information with regard to physical hazard classes**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RBX TAPE / RTX TAPE

Revision date: 02.08.2023

Product code: 28 ....

Page 6 of 13

Explosive properties

none

Sustaining combustion:

Not sustaining combustion

Self-ignition temperature

Solid:

not relevant

Gas:

not relevant

Oxidizing properties

none

### Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not determined

Softening point:

not determined

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

### Further Information

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

(Curing)

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat. Humidity (Curing)

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Acids. Alkali (lye). amines. Alcohols.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Gas/vapours, toxic. Isocyanates. Hydrocyanic acid (hydrocyanic acid). Nitrogen oxides (NOx).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicokinetics, metabolism and distribution

No data available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
25686-28-6	4,4'-Methylenediphenyl diisocyanate, oligomers				

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### RBX TAPE / RTX TAPE

Revision date: 02.08.2023

Product code: 28 ....

Page 7 of 13

	oral	LD50 mg/kg	> 5000	Rat	ECHA dossier	
	inhalation (4 h) vapour	LC50 mg/l	(5,64)	Rat (alkylated aromatic hydrocarbon)		
	inhalation dust/mist	ATE	1,5 mg/l			

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

Contains isocyanates. May produce an allergic reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. (4,4'-Methylenediphenyl diisocyanate, oligomers)

May cause an allergic skin reaction. (4,4'-Methylenediphenyl diisocyanate, oligomers)

People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (4,4'-Methylenediphenyl diisocyanate, oligomers)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (4,4'-Methylenediphenyl diisocyanate, oligomers)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
25686-28-6	4,4'-Methylenediphenyl diisocyanate, oligomers					
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oryzias latipes	ECHA dossier
	Acute crustacea toxicity	EC50 mg/l	0,16	48 h	Daphnia magna (alkylated aromatic hydrocarbon)	

### 12.3. Bioaccumulative potential

Bioaccumulation is not anticipated since this material is hydrolytically unstable.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
25686-28-6	4,4'-Methylenediphenyl diisocyanate, oligomers	8,56

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RBX TAPE / RTX TAPE**

Revision date: 02.08.2023

Product code: 28 ....

Page 8 of 13

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.7. Other adverse effects**

No data available.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

**List of Wastes Code - residues/unused products**

080501 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes not otherwise specified in 08; waste isocyanates; hazardous waste

**List of Wastes Code - used product**

080501 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes not otherwise specified in 08; waste isocyanates; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2206
<b>14.2. UN proper shipping name:</b>	ISOCYANATE SOLUTION, TOXIC, N.O.S. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RBX TAPE / RTX TAPE

Revision date: 02.08.2023

Product code: 28 ....

Page 9 of 13



Classification code: T1  
 Special Provisions: 274 551  
 Limited quantity: 100 mL  
 Excepted quantity: E4  
 Transport category: 2  
 Hazard No: 60  
 Tunnel restriction code: D/E

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 2206  
**14.2. UN proper shipping name:** ISOCYANATE SOLUTION, TOXIC, N.O.S. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** II  
 Hazard label: 6.1



Classification code: T1  
 Special Provisions: 274 551 802  
 Limited quantity: 100 mL  
 Excepted quantity: E4

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 2206  
**14.2. UN proper shipping name:** ISOCYANATE SOLUTION, TOXIC, N.O.S. (4,4'-methylenediphenyl diisocyanate)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** II  
 Hazard label: 6.1



Marine pollutant: NO  
 Special Provisions: 274  
 Limited quantity: 100 mL  
 Excepted quantity: E4  
 EmS: F-A, S-A

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 2206  
**14.2. UN proper shipping name:** ISOCYANATE SOLUTION, TOXIC, N.O.S. (4,4'-methylenediphenyl diisocyanate)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** II  
 Hazard label: 6.1



Special Provisions: A3  
 Limited quantity Passenger: 1 L

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RBX TAPE / RTX TAPE**

Revision date: 02.08.2023

Product code: 28 ....

Page 10 of 13

Passenger LQ:	Y641	
Excepted quantity:	E4	
IATA-packing instructions - Passenger:		654
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		662
IATA-max. quantity - Cargo:		60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

refer to chapter 6 - 8

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): not determined

2004/42/EC (VOC): not determined

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3, 74

74. Diisocyanates, O = C=N-R-N = C=O, with R an aliphatic or aromatic hydrocarbon unit of unspecified length:

1. Shall not be used as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 August 2023, unless: (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the employer or self-employed ensures that industrial or professional user(s) have successfully completed training on the safe use of diisocyanates prior to the use of the substance(s) or mixture(s). 2. Shall not be placed on the market as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 February 2022, unless: (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information on the requirements referred to in point (b) of paragraph 1 and the following statement is placed on the packaging, in a manner that is visibly distinct from the rest of the label information: 'As from 24 August 2023 adequate training is required before industrial or professional use'. 3. For the purpose of this entry 'industrial and professional user(s)' means any worker or self-employed worker handling diisocyanates on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) or supervising these tasks. 4. The training referred to in point (b) of paragraph 1 shall include the instructions for the control of dermal and inhalation exposure to diisocyanates at the workplace without prejudice to any national occupational exposure limit value or other appropriate risk management measures at national level. Such training shall be conducted by an expert on occupational safety and health with competence acquired by relevant vocational training. That training shall cover as a minimum: (a) the training elements in point (a) of paragraph 5 for all industrial and professional use(s). (b) the training elements in points (a) and (b) of paragraph 5 for the following uses: — handling open mixtures at ambient temperature (including foam tunnels); — spraying in a ventilated booth; — application by roller; — application by brush; — application by dipping and pouring; — mechanical post treatment (e.g. cutting) of not fully cured articles which are not warm anymore; — cleaning and waste; — any other uses with similar exposure through the dermal and/or inhalation route; (c) the training elements in points (a), (b) and (c) of paragraph 5 for the following uses: — handling incompletely cured articles (e.g. freshly cured, still warm); — foundry applications; — maintenance and repair that needs access to equipment; — open handling of warm or hot formulations (> 45 °C); — spraying in open air, with limited or only natural ventilation

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RBX TAPE / RTX TAPE**

Revision date: 02.08.2023

Product code: 28 ....

Page 11 of 13

(includes large industry working halls) and spraying with high energy (e.g. foams, elastomers); — and any other uses with similar exposure through the dermal and/or inhalation route. 5. Training elements: (a) general training, including on-line training, on: — chemistry of diisocyanates; — toxicity hazards (including acute toxicity); — exposure to diisocyanates; — occupational exposure limit values; — how sensitisation can develop; — odour as indication of hazard; — importance of volatility for risk; — viscosity, temperature, and molecular weight of diisocyanates; — personal hygiene; — personal protective equipment needed, including practical instructions for its correct use and its limitations; — risk of dermal contact and inhalation exposure; — risk in relation to application process used; — skin and inhalation protection scheme; — ventilation; — cleaning, leakages, maintenance; — discarding empty packaging; — protection of bystanders; — identification of critical handling stages; — specific national code systems (if applicable); — behaviour-based safety; — certification or documented proof that training has been successfully completed (b) intermediate level training, including on-line training, on: — additional behaviour-based aspects; — maintenance; — management of change; — evaluation of existing safety instructions; — risk in relation to application process used; — certification or documented proof that training has been successfully completed (c) advanced training, including on-line training, on: — any additional certification needed for the specific uses covered; — spraying outside a spraying booth; — open handling of hot or warm formulations (> 45 °C); — certification or documented proof that training has been successfully completed 6. The training shall comply with the provisions set by the Member State in which the industrial or professional user(s) operate. Member States may implement or continue to apply their own national requirements for the use of the substance(s) or mixture(s), as long as the minimum requirements set out in paragraphs 4 and 5 are met. 7. The supplier referred to in point (b) of paragraph 2 shall ensure that the recipient is provided with training material and courses pursuant to paragraphs 4 and 5 in the official language(s) of the Member State(s) where the substance(s) or mixture(s) are supplied. The training shall take into consideration the specificity of the products supplied, including composition, packaging, and design. 8. The employer or self-employed shall document the successful completion of the training referred to in paragraphs 4 and 5. The training shall be renewed at least every five years. 9. Member States shall include in their reports pursuant to Article 117(1) the following information: (a) any established training requirements and other risk management measures related to the industrial and professional uses of diisocyanates foreseen in national law; (b) the number of cases of reported and recognised occupational asthma and occupational respiratory and dermal diseases in relation to diisocyanates; (c) national exposure limits for diisocyanates, if there are any; (d) information about enforcement activities related to this restriction. 10. This restriction shall apply without prejudice to other Union legislation on the protection of safety and health of workers at the workplace.

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).  
 Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Rev. 1,00; 19.02.2015, Initial release  
 Rev. 2,00; 11.09.2018; Changes in chapter: 1-16  
 Rev. 3,00; 14.05.2019; Changes in chapter: 1-16  
 Rev. 4,00; 05.01.2021; Changes in chapter: 1, 16  
 Rev. 5,00; 02.08.2023; Changes in chapter: 1-16

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 AGW: Arbeitsplatzgrenzwert  
 CAS: Chemical Abstracts Service  
 CLP: Classification, Labelling and Packaging of substances and mixtures  
 DNEL: Derived No Effect Level

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RBX TAPE / RTX TAPE**

Revision date: 02.08.2023

Product code: 28 ....

Page 12 of 13

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

WGK: Water Hazard Class (Germany)

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 2; H351	Calculation method
STOT SE 3; H335	Calculation method

**Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH204	Contains isocyanates. May produce an allergic reaction.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RBX TAPE / RTX TAPE**

Revision date: 02.08.2023

Product code: 28 ....

Page 13 of 13

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*